

各种防水连接器和线束的一站式生产商

One-stop manufacturer of various waterproof connectors and cable assemblies



深圳市捷天电子科技有限公司

Shenzhen Jietian Electronic Technology Co., Ltd.

地址：广东省东莞市黄江镇冠城三良智慧产业园1号楼B单元8楼

Add: The 8th Floor, Unit B, Building 1#, Guanchengsanliang
Intelligent Industrial Park, Huangjiang Town, Dongguan
City, Guangdong Province, China

阿里巴巴 <https://shop00s81959p8z15.1688.com>

阿里国际站 <https://jtconnector.en.alibaba.com>

国内业务Domestic Business: 手机 Mob/微信WeChat: 136-89572042 张总

国际业务International Business: Mob/WeChat/WhatsApp: +86 18666489522 Andy Liu

E-mail: Andyliu_jx@163.com



精诚合作
互利双赢

Sincerely cooperate
Mutual benefit & win-win



专注各种防水连接器和线束生产
Specialize in manufacturing various waterproof
connectors and cable assemblies

深圳市捷天电子科技有限公司

Shenzhen Jietian Electronic Technology Co., Ltd.



工厂简介 Factory Introduction

我们工厂成立于2012年,占地面积8000平方米,我们拥有生产团队150人,研发团队20人。

我们工厂拥有注塑机、自动线切割机、自动车床、拉丝机、绞丝机等齐全的连接器和线束生产设备,共计约120台,年总产值超过6000万元。

我们产品执行质量标准: GB/T 19001-2016 和 ISO 9001:2015。

Our factory was established in 2012 and covers an area of 8,000 square meters, we have a production team of 150 people and a R&D team of 20 people.

Our factory has around 120 sets of equipment included in injection molding machines, automatic wire-cutting machines, automatic lathes, wire drawing machines, wire stranding machines and other complete set of connectors and cable assemblies production equipment, annual total output value exceeds 60 million in RMB.


Our products implements quality standards of GB/T 19001-2016 & ISO 9001:2015.



测试仪器 Test Machines



10通道瞬断测试机
10-channel instant break tester



绝缘测试机
Insulation tester



3000Hz震动测试机
3000Hz vibration tester



综合测试机
Comprehensive tester



高压线束端面检测器
High-voltage wiring harness face end tester



盐雾测试机
Salt spray tester



高低温测试机
High & low temperature tester



插拔测试机
Plug and pull tester



温升测试机
Temperature rise tester



拉力测试机
Tension tester



摇摆测试机
Swing tester



二次元投影仪
Two-dimensional projector

资质证书 Qualification Certificates







自锁系列 M12 M16 M20 M25 Self-locking series connectors for M12 M16 M20 M25



自锁系列M16


Self-locking series connectors for M16



					
2PIN-2* ϕ 1.5	3PIN-3*1.5	4PIN-4*1.0	5PIN-5*1.0	2+4PIN-2*1.5+4*0.8	8PIN-8*1.0
10A/300V	10A/300V	5A/300V	5A/300V	10A+3A/60V	5A/60V

自锁系列 M20


Self-locking series connectors for M20



					
2PIN-2* ϕ 2.4	3PIN-3* ϕ 2.4	4PIN-4* ϕ 2.0	9PIN-9* ϕ 1.0	3+9PIN-3*2.0+9* ϕ 0.8	16PIN-16* ϕ 1.0
20A/300V	20A/300V	16A/300V	5A/60V	16A+3A/300V+60V	5A/60V

自锁系列 M25

Self-locking series connectors for M25



			
2PIN-2*φ3.5	2PIN-2*φ3.0	3PIN-3*φ3.0	3PIN-3*φ3.5
40A/300V	32A/300V	40A/300V	32A/300V

螺纹系列 M12 M16 M20 M25



Threaded series connectors for M12 M16 M20 M25



螺紋系列 M12 M16 M20 M25 Threaded series connectors for M12 M16 M20 M25




大电流连接器 50A 120A 250A High-current connectors for 50A 120A 250A



大电流连接器 50A High-current connector for 50A

命名规则 Naming Convention



举例 Example



产品编号 Part Number	E50-SPJ401
产品名称 Description	E50正极插头 E50 positive plug



产品编号 Part Number	E50-FPJ620
产品名称 Description	E50正极插头 E50 positive plug


安装要求 Installation requirements

线材与插头端采用铆接方式, 线材与插座端采用螺孔铜排式, 光孔铜排式, 压接式, 螺柱式4种方式, 应铆接牢固无松动。

Wire and plug end adopts riveting mode, wire and socket end adopts screw hole copper bar type, optical hole copper bar type, crimp type, stud type 4 ways, should be riveted firmly without loosening.

大电流连接器 120A High-current connector for 120A

命名规则 Naming Convention



举例 Example



产品编号 Part Number	E120-SPJ401
产品名称 Description	120正极插头 120 positive plug



产品编号 Part Number	E120-FPJ620
产品名称 Description	120正极插头 120 positive plug


安装要求 Installation requirements

线材与插头端采用铆接方式, 线材与插座端采用螺孔铜排式, 光孔铜排式, 压接式, 螺柱式4种方式, 应铆接牢固无松动。

Wire and plug end adopts riveting mode, wire and socket end adopts screw hole copper bar type, optical hole copper bar type, crimp type, stud type 4 ways, should be riveted firmly without loosening.

大电流连接器 250A High-current connector for 250A

命名规则 Naming Convention



举例 Example



产品编号 Part Number	E250-SPJ001
产品名称 Description	250正极插头 250 positive plug



产品编号 Part Number	E250-FPJ520
产品名称 Description	250正极插头 250 positive plug

安装要求 Installation requirements

线材与插头端采用铆接方式, 线材与插座端采用螺孔铜排式, 光孔铜排式, 压接式, 螺柱式4种方式, 应铆接牢固无松动。

Wire and plug end adopts riveting mode, wire and socket end adopts screw hole copper bar type, optical hole copper bar type, crimp type, stud type 4 ways, should be riveted firmly without loosening.


电动车连接器 Two-wheeled electric vehicle connectors



电动车连接器

Two-wheeled electric vehicle connectors


锂电池方型（包胶式） Square lithium battery (moulded type)



芯数 Core NO.	2+4芯 Cores	2+6芯 Cores
额定电流/电压 Rated current / voltage	40A/300V	50A/300V
接触件直径 Contact diameter	/	
耐电压 Withstand voltage	AC/DC 3000V	
防护等级 Level of protection	IP67	
颜色 Color	黑色（可定制） Black or Customize	
线径范围 Cable's range	MAXφ14.0-MAXφ5.0	
工作温度 Operating Temperature	- 40C° + 105C°	- 40C° + 105C°
链接方式 Connection type	快速对插 Quick mating	
外壳塑胶部件 Shell / Plastic parts	尼龙/PVC Nylon / PVC	

M23两卡自锁包胶和组装式:


M23 self-locking with 2 notches for moulded & assemble types



芯数 Core NO.	2+4Pins / 2+1+5Pins
额定电流/电压 Rated current / voltage	50A/300V
接触件直径 Contact diameter	/
耐电压 Withstand voltage	AC/DC 1500V
防护等级 Level of protection	IP67
颜色 Color	黑/蓝/黄（可定制） Color options: Black / blue / yellow or customize
线径范围 Cable's range	MAXφ13.0-MAXφ5.0
工作温度 Operating Temperature	- 40C° + 105C°
链接方式 Connection type	弹簧自锁 Spring self-locking
外壳塑胶部件 Shell / Plastic parts	尼龙 Nylon
五金材质 Pin's material	合金铜 Alloy copper
阻燃等级 Flame rating	UL 94 V-0

线束加工

Cable assembly processing



工业级以太网线: Industrial-grade ethernet cable

镀金触点: Gold plated contact

X型8芯: Type X 8-core

机器视觉(工业自动化): Machine vision (Industrial automation)

M12转RJ45: M12 to RJ45

防水耐油: Waterproof and oil-resistant

A型8芯: Type A 8-core

8针A型编码: A-code 8-pin

D型4芯公头: Type D 4-core plug

双层屏蔽: Double shielding

传输稳定: Stable transmission



SCSI伺服驱动连接线: SCSI servo drive connection cable

抗拉耐折: Tensile and bend-resistant

纯铜线芯: Pure copper wire core

传输稳定: Stable transmission

适用于三菱、台达、松下, 安川伺服驱动CN1插口: Suitable for CN1 socket of Mitsubishi, Delta, Panasonic and Yaskawa servo drives

FT232/PL232可选: FT232/PL232 options

多系统兼容/多重屏蔽/传输稳定: Multi-system compatibility / Multi-layer shielding / Stable transmission

USB3.0转Type-C带螺丝, 工业相机数据线: USB 3.0 to Type-C data cable with screw lock for industrial cameras

光纤USB3.0延长线: Fiber optic USB 3.0 extension cable

5Gbps高宽带: 5Gbps High Bandwidth

100米超长距离: 100M ultra-long Distance

抗干扰无延迟: Anti-interference and delay-free



高柔六类拖链屏蔽网线: Cat6 STP High-flex Cable

耐折1000万次: 10 million bend cycles resistant

耐油防腐: Oil-resistant and corrosion-resistant

阻燃环保: Flame-retardant and environmentally friendly

抗拉耐磨: Tensile strength and abrasion resistance

耐高低温: High and low temperature resistance

源头工厂直接供货, 质优价更优 Direct supply from the source factory with superior quality and even better prices

金属螺纹系列 Metal threaded series




M12	公头: Male plug	母头: Female plug	公头: Male plug	母头: Female plug
	锁紧方式: 螺纹式(锁端子型) Lock way: Threaded type (Lock terminal type)			
	连接头类型: 直头 Connector type: Straight			



M12	公头: Male plug	母头: Female plug	公头: Male plug	母头: Female plug
	锁紧方式: 螺纹式 (焊接型) Lock way: Threaded type (welding type)			
	连接头类型:后锁 Connector type: Rear lock	连接头类型:前锁 Connector type:Front lock	连接头类型: 后锁 Connector type: Rear lock	



M16	公头: Male plug	母头: Female plug	公头: Male plug	母头: Female plug
	M16包胶式: M16 moulded type			
	锁紧方式: 螺纹式 Lock way: Threaded type			
连接头类型: 直头 Connector type: Straight		连接头类型: 弯头 Connector type: Bent		



M16	公头：Male plug	母头：Female plug	公头：Male plug	母头：Female plug
	M16组装式：M16 assemble type		M16插座：M16 socket	
	锁紧方式：螺纹式(焊接型) Lock way: Threaded type (welding type)			
	连接头类型：直头 Connector type: Straight		连接头类型：前锁 Connector type: Front lock	

源头工厂直接供货,质优价更优 Direct supply from the source factory with superior quality and even better prices

分线盒 Distribution box



源头工厂直接供货,质优价更优 Direct supply from the source factory with superior quality and even better prices